

# Product data sheet

## KFT elbow switch



Plastic elbow switch, IP rating IP20, for activation of automatic doors

### AREAS OF APPLICATION

- Activation of automatic swing, sliding, folding, revolving and curved sliding doors
- Inside
- Surface-mounted installation

# KFT elbow switch



## PRODUCT FEATURES

- IP rating IP20
- Very flat design with a height of 180 mm
- Large push switch for activation even with elbows
- Optional expansion with transmitting module
- Optional back plate for adhering to smooth surfaces like glass

## TECHNICAL DATA

Productname	KFT elbow switch
Dimensions	90 x 179 x 23 mm
IP rating	IP20
Type of installation	Surface-mounted installation
Material	Plastic
Service temperature	-20 – 85 °C

## VARIANTS / ORDER INFO

### Designation


KFT elbow switch

KFT elbow switch

## ACCESSORIES

### BACK PLATE KFT \*

For attaching GEZE plastic elbow switches on even surfaces



### Designation

Back plate for KFT elbow switch \*

Back plate for KFT elbow switch \*

## KFT elbow switch



---

### SWITCH CONTACT IP67 FOR KFT ELBOW SWITCH \*

Accessories for plastic elbow switches



#### Designation

Switch contact IP67 for KFT elbow switch \*

---

---

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.